

**TABLE IV.** Correlations ( $r_s$ ) among serum levels of peanut, individual tree nut, and individual seed-specific IgE in 324 patients with suspected peanut, tree nut, and/or seed allergy\*

	Cacahuete	Avellana	Almendra	Pecana	Anacardo	Pistacho	Nuez	Sésamo
Cacahuete	1.00	0.46	0.53	0.08	0.21	0.21	0.04	0.34
Avellana	0.46	1.00	0.84	0.62	0.70	0.72	0.57	0.79
Almendra	0.53	0.84	1.00	0.46	0.64	0.65	0.40	0.73
Pecana	0.08	0.62	0.46	1.00	0.51	0.53	0.96	0.61
Anacardo	0.20	0.70	0.64	0.51	1.00	0.95	0.45	0.61
Pistacho	0.21	0.73	0.65	0.53	0.95	1.00	0.48	0.65
Nuez	0.04	0.57	0.40	0.96	0.45	0.48	1.00	0.57
Sésamo	0.34	0.79	0.73	0.61	0.61	0.65	0.57	1.00

\*Correlation is weak if  $r_s$  is less than 0.5, moderate if  $r_s$  is 0.5 to 0.8, and strong if  $r_s$  is greater than 0.8.

**TABLE V.** Correlations ( $r_s$ ) among serum levels of peanut, individual tree nut, and individual seed-specific IgE in 49 patients with suspected tree nut allergy who are not allergic to peanut\*

	Cacahuete	Avellana	Almendra	Pecana	Anacardo	Pistacho	Nuez	Sésamo
Cacahuete	1.00	0.66	0.70	0.38	0.40	0.36	0.35	0.72
Avellana	0.66	1.00	0.71	0.62	0.55	0.51	0.58	0.71
Almendra	0.70	0.71	1.00	0.38	0.48	0.45	0.38	0.69
Pecana	0.38	0.62	0.38	1.00	0.21	0.17	0.97	0.63
Anacardo	0.40	0.55	0.48	0.21	1.00	0.98	0.21	0.42
Pistacho	0.36	0.51	0.45	0.17	0.98	1.00	0.16	0.38
Nuez	0.35	0.58	0.38	0.97	0.21	0.16	1.00	0.59
Sésamo	0.72	0.71	0.69	0.63	0.42	0.38	0.59	1.00

\*Correlation is weak if  $r_s$  is less than 0.5, moderate if  $r_s$  is 0.5 to 0.8, and strong if  $r_s$  is greater than 0.8.